


51130
A-105
Cantor Fitzgerald
105G4

DRAWING NUMBER
PLANNED OPERATIONS - PINE, CALIFORNIA
REVISIONS
DATE
BY

PLANNED OPERATIONS - PINE, CALIFORNIA
REVISIONS
DATE
BY


DRAWING NUMBER
PLANNED OPERATIONS - PINE, CALIFORNIA
REVISIONS
DATE
BY



PART. PLAN 105TH FLOOR


SCHEDULE OF LIGHTING FIXTURES									
NO.	SYMBOL	MANUFACTURER & CATALOG NO.	DIMENSIONS	LAMP TYPE	TOTAL NO. REMOVED	TOTAL NO. NEW	REMARKS		
L-1		EDISON PRICE VISIONAIRE VS-140-22-277 RECESSED FLUORESCENT DOUBLE LAMP PARABOLIC AIR HANDLING	L=24"0" W=1'0" H=5 3/8"	(2) F-40T-12 DELUXE WARM WHITE	12	10	10	2	
L-2		LIGHTHOUSE 7031 OPEN REFLECTOR RECESSED DOUBLE LAMP PARABOLIC AIR HANDLING	5 1/2" APERTURE 7 1/2" O.A. DIA. 8 1/2" HIGH	100W A-19	5	0	0	5	
L-3		EDISON PRICE VISIONAIRE VS-140-22-277 RECESSED FLUORESCENT DOUBLE LAMP PARABOLIC AIR HANDLING	L=24"0" W=1'0" H=5 3/8"	(2) F-40T-12 DELUXE WARM WHITE	23	0	0	23	
L-4		LIGHTHOUSE 7031 OPEN REFLECTOR RECESSED DOUBLE LAMP PARABOLIC AIR HANDLING	5 1/2" APERTURE 7 1/2" O.A. DIA. 8 1/2" HIGH	100W A-19	1	0	0	1	
L-5		EDISON PRICE VISIONAIRE VS-140-22-277 RECESSED FLUORESCENT DOUBLE LAMP PARABOLIC AIR HANDLING	L=24"0" W=1'0" H=5 3/8"	(2) F-40T-12 DELUXE WARM WHITE	6	19	0	0	REMARK: REMOVED FROM EXISTING OFFICE & NEW TELEPHONE EQUIPMENT ROOM

REFER TO DWG 105G-5 FOR CONTINUATION OF LIGHTING FIXTURE SCHEDULE



SYMBOL LEGEND	
	LIGHTING FIXTURE SEE SCHEDULE THIS SHEET
	EXISTING LIGHTING FIXTURE TO BE REMOVED (RELOCATED)
	SWITCH, LOWER CASE LETTERS, CHAINED TO POWER CONTROLLER
	KEY OPERATED SWITCH
	EXISTING CONDUIT FOR TELEPHONE WIRING
	EXISTING CONDUIT FOR LOW VOLTAGE DATA CABLES
	AIR CONDITIONING SUPPLY DIFFUSER, SEE MECHANICAL DWGS FOR SIZE, TYPE & DUCTWORK
	EXISTING DIRECTIONAL EXIT LIGHT (NO CHANGE)
	FLUSH SPRINKLER HEAD EXISTING UNLESS MARKED OTHERWISE
	STARTING POINT FOR LAYOUT OF LIGHTING FIXTURE & GRILLING TILES GRID
	FINISH CEILING HEIGHT A.C.S. ABOVE CON. SLAB A.B.P. ABOVE RAISED FLOOR
	EXIST. AIR CONDITIONING SUPPLY DIFFUSER (NO CHANGE)
	NEW AIR CONDITIONING SUPPLY DIFFUSER, SEE MECHANICAL DWGS FOR TYPE & SIZE

NOTE:
THIS DRAWING SHALL BE USED FOR CEILING LAYOUT, SWITCHING ARRANGEMENT, EQUIPMENT LOCATION ONLY. SEE ELEC. TRIC & H.V.A.C. ENGINEERING DRAWINGS FOR CIRCUITING, PANEL BOARD CONNECTIONS, DUCT WORK, DIFFUSERS, A.C. UNITS & ALL ELECTRIC & H.V.A.C. SPECIFICATIONS



KEY PLAN
1" = 1'-0"

PHASE
G
TAA. NO. 8539

PROJECT NO. 1379
SCALE 1/4" = 1'-0"
DRAWN BY J.F.P.
CHECKED BY J.F.P.
DATE 6-2-86

IF THIS DRAWING IS NOT 24" x 36" IT IS A REDUCED PRINT SCALE ACCORDINGLY



CHARLES D. FLAYHAN ASSOCIATES INC
880 CANAL STREET STAMFORD, CT 06902
203 348-4300


JOHN C. WESTRICK & ASSOCIATES
CONSULTING ENGINEERS
2110 MAPLE AVE. SOUTH PLAINFIELD, N.J. 07080
201 501-4170

DATE	ISSUED TO	PR	TR
6-15-86	FOR AUTHORITY FOR APPROVAL	10	1
6-19-86	FOR AUTHORITY FOR APPROVAL	10	1
6-21-86	FOR AUTHORITY FOR APPROVAL	10	1
6-23-86	FOR AUTHORITY FOR APPROVAL	10	1

NO.	DATE	REVISION	BY

CANTOR, FITZGERALD
SECURITIES CORP.
105TH FLOOR
ONE WORLD TRADE CENTER, NEW YORK, N.Y.

EXPANSION OF CORPORATE BOOKERS
TRADING ROOM, TELEPHONE EQUIP.
VENT ROOM & SECURITIES CAGE
REFLECTED CEILING PLAN
AREA G-1



DRAWING NO.
105G